EPELSA

JUPITER
RANGE

SCALE

JUPITER 22V10

Stainless steel hanging scale with a graphic printer

- STAINLESS STEEL
- 60 MM GRAPHIC PRINTER
- 98 KEYS AND BACKLIT LCD DISPLAY
- CAN BE NETWORKED WITH UP TO 10 DEVICES
- ETHERNET AND RS-232

Model
JUPITER 22V10

CERTIFIED

CE M

grupoepelsa.com

Scale

JUPITER 22V10

JUPITER 22V10

The Jupiter 22 V10 is the most robust and specialised weighing solution in the Jupiter range, designed to meet the technical and hygiene requirements of work environments handling fresh produce.

Its all-stainless-steel construction, suspended design and IP-rated splash protection make it the benchmark for fishmongers, butchers and fresh food departments, where material durability and ease of cleaning are essential requirements.

By keeping the countertop completely clear, it optimises workspace without compromising any of the advanced technological features that characterise the range.

Features

Type	Double-body counter scale
Material	ABS and stainless steel platform
Installation	Countertop display
Display	LCD
Keyboard	98-key Omron keyboard
Printing	60mm thermal printer
Connections	RS232 port
Communications	Ethernet
Capacities	15 kg / 5 gr
Plate dimensions	31 cm in diameter
Packaging dimensions	45 x 37 x 43 cm
Net weight	8,18 kg

Fully stainless steel chassis with IP-rated splash protection, for use in damp and sanitised environments.

High print speed of up to 120 mm/s, capable of printing simplified invoices with VAT breakdown and customer details.

98-key Omron-style keypad with mechanical travel and a 3-line backlit LCD display.

Ethernet network for up to 10 devices, fully compatible with the rest of the Jupiter range.

15 kg capacity with 5 g accuracy. Platform available in flat, deep or semi-deep versions in stainless steel.

Generalities

Stainless steel construction and IP rating
The unit is constructed entirely from stainless steel and features an IP rating for splash protection, ensuring its durability in damp working environments. This construction also facilitates thorough and systematic cleaning, an essential requirement in fishmongers', butchers' and general fresh produce handling areas.

High-performance graphic printer
It incorporates a 60 mm wide thermal printer with a programmable speed of up to 120 mm/s. The system is capable of issuing simplified invoices with a breakdown of VAT and customer details, in compliance with current tax regulations, which extends its applicability to environments requiring legally valid sales documentation.

Advanced user interface
The control panel features a 3-line backlit LCD display and a mechanical keypad with 98 Omron-style keys. The keypad layout includes direct access to daily totals and programmable function keys, optimising workflows in high-turnover and intensive-use environments.

Weighing flexibility and weighing pan configuration
The scale offers a capacity of 15 kg with a 5 g division. To accommodate different product types, it allows you to choose between three stainless steel pan configurations:

Flat pan | Deep pan | Semi-deep pan

Connectivity and autonomy
It supports the interconnection of up to 10 units via Ethernet, with full compatibility with the rest of the Jupiter range, as well as RS-232 ports and barcode scanner ports.

Optimised suspended design
Weighing just 8.18 kg, its wall-mounted design completely frees up counter space, improving workspace organisation and protecting the electronic components from direct exposure to moisture. A compact, high-performance solution for the most demanding retail environments.



Optional
Internal battery system

The Jupiter 22 V10 features an optional standalone power supply system that significantly enhances its operational versatility. This option is supplied as an integrated unit, combining an internal battery with a dedicated connection for an external battery, thereby providing the unit with a dual power source that is independent of the mains supply.

Dual-energy system
A set comprising an internal battery and a connection for an external battery, supplied together as a single optional accessory.

Operational mobility
It enables the equipment to be used in locations without access to the mains power supply, such as markets, outdoor stalls or temporary installations.

Service continuity
It ensures the stability of the point of sale in the event of power cuts, preventing disruptions to business operations.

Dimensiones

Front view



Side view



TECHNICAL DATA

Hardware

- Hanging scale
- Stainless steel
- Backlit LCD display
- 98-key keypad 60 mm graphic printer with a programmable speed of up to 120 mm/s
- Ethernet connectivity
- RS232 port
- Scanner connection
- Power options: Option for internal battery and connection for external battery

Software

- Invoicing: The software enables the issuance of simplified invoices in accordance with regulations, including a breakdown of VAT and customer details
- Sales Monitoring: Provides direct access to daily totals
- Customisation: Features programmable function keys to streamline user operations

Features

- Networking: Allows up to 10 devices to be connected via Ethernet
- It is fully compatible with all other models in the Jupiter range within the same network

References

DESCRIPTION	REFERENCE
JUPITER 22 V10 15kg / 5gr	000X13995274

Optional

DESCRIPTION	REFERENCE
Optional: Internal battery + external battery connection (22V10)	000013989090
Telescopic kit for hanging scale mounting	000013989109
360° bushing for hanging scale mounting	000571210714